



PRODUCT FEATURES

- Full-sized Scissor-switch Keyboard
- Integrated Palm Rest
- Plug and play
- Ergonomic Vertical Mouse (DPI 1000 / 1600 / 3200 / 6400)

KEYBOARD SPECIFICATION

Dimension	487 x 228 x 63 mm	Certifications	CE, FCC
Weight	1040 ± 50 g	System Requirement	Win 7 or later / macOS Big Sur 11.2.1 or later
Number of Keys	114 (US) / 115 (EU)	Operating Temperature	-5°C ~ 45°C
Connection Type	Wired, USB 2.0	Storage Temperature	-15°C ~ 65°C
Color	Black	Cable Length	1800 mm
Battery required	None	Actuation Distance	0.95 ± 0.2 mm
Total Travel Distance	1.5 ± 0.2 mm	Durability	5 million keypresses
Multimedia Keys	Yes (Fn + F1–F12 combinations)	Key Switch Technology	Scissor-switch
Material	ABS	Layouts	US (Ready), UK (Ready), ES (Ready), DE (Ready)

MOUSE SPECIFICATION

Dimension	120 x 76 x 63 mm	Certifications	CE, FCC
Weight	145 ± 5 g	System Requirement	Win 7 or later / macOS Big Sur 11.2.1 or later
Number of Buttons	6	Operating Temperature	0°C ~ 40°C
Connection Type	Wired, USB 2.0	Storage Temperature	-15°C ~ 60°C
Acceleration	12G	Cable Length	1800 mm
DPI	1000 / 1600 / 3200 / 6400	Tracking Speed	32 IPS
Report Rate	125 Hz	Material	ABS
Durability	3 million clicks	Color	Black
Battery required	None		

US Layout (Ready)



UK Layout (Ready)



ES Layout (Ready)



DE Layout (Ready)



No driver needed



Perixx Computer GmbH +49-211-569488-00
Heerdter Landstraße 189e, 40549 Düsseldorf, Germany
<https://eu.perixx.com/>

株式会社 Perixx Japan +81-50-5809-9650
〒103-0004 東京都中央区東日本橋二丁目28番4号
日本橋 CETビル2 階

佩銳科技有限公司 (進口商) +886-2-2748-5232
10052 台北市中正區徐州路18巷32號1樓

制 造 商: 佩 銳 科 技 (深 圳) 有 限 公 司
Manufacturer: Perixx Technology (ShenZhen) Co., Ltd.
地 址: 深 圳 市 南 山 区 西 麗 街 道 新 光 路 43 号
聚 創 金 谷 創 意 園 A 棟 # 509-510
A d d r e s s : #A509-510 Ju Chuang Jin Gu Building,
Xinguang Road 43, Xili Street, Nanshan
District, Shenzhen City, China
Customer Service Email: shop@perixx.com