

PERIMICE-822



PRODUCT FEATURES

- Bluetooth ergonomic mouse
- Silent click
- With 40mm trackball
- Programmable Buttons
- Rechargeable lithium battery

MOUSE SPECIFICATION

Dimension	165*90*45mm	Certifications	CE, FCC, TELEC
Weight	181g	System requirement	Windows 7 or later
Number of buttons	6	Operating temperature	0°C ~ 40°C
Connection type	USB2.0(Wired)/2.4GHz(Wireless)/BT 5.3	Storage temperature	-20°C ~ 65°C
Power supply	Rechargeable lithium battery	Eelectrical rating	3.7-4.5 mA
Colour	Iron	Operating voltage	3.0-4.2 VDC
DPI	400/800/1200/2400	Material	ABS
Acceleration	10G	Tracking speed	30IPS
Report rate	125Hz	Durability	3 million keypress

Sleep mode

	Sleep mode
Y/N	Yes, after 30 minutes
How to wake up the mouse	Click


Power and Battery

Item	Specification
Battery Type	USB 2.0 rechargeable Li-ion (500mAh) battery
Charging Current	300mA
Battery Life	Up to 15 days of typical device usage
Charging Time	2.5 hours

Information of the battery

Battery composition	Lithium Polymer
Battery type	Lithium-ion Polymer battery (500mAh)
Battery size	31.5*20.0*9.0mm
Number of batteries	1 PCS
Battery weight (grams)	9.85 g
Cells per battery	A single cell
Watt hours per battery	1.85 Wh
Lithium content (grams)	0.292 g
Power Minimum Value of Device Charging Capability	0.15 Watts
Power Maximum Value of Device Charging Capability	1.5 Watts

Product Illustration



R3B701
RoHS



No driver needed



Perixx Computer GmbH +49-211-569488-00
Heerdter Landstraße 189e, 40549 Düsseldorf, Germany
<https://eu.perixx.com/>

株式会社 Perixx Japan +81-50-5809-9650
〒103-0004 東京都中央区東日本橋二丁目28番4号
日本橋 CETビル2 階

佩銳科技有限公司 (進口商) +886-2-2748-5232
10052 台北市中正區徐州路18巷32號1樓

制 造 商: 佩銳科技 (深圳) 有限公司
Manufacturer: Perixx Technology (ShenZhen) Co., Ltd.
地 址: 深圳市南山区西麗街道新光路43号
聚創金谷創意園A棟#509-510
A d d r e s s : #A509-510 Ju Chuang Jin Gu Building,
Xinguang Road 43, XIII Street, Nanshan
District, Shenzhen City, China
Customer Service Email: shop@perixx.com